

The Influence of the Regime of Pumping on the
Efficiency of the Piston Rod of the Pump, by
B. E. Kruman.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 51-54.

Tech and Com
\$30.00

Sci - Engr

Apr 58

62,183

Mechanized Chemical Dressing of Reservoirs, by
P. R. Taube.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 55-58.

Tech and Com
\$39.00

Sci - Chem, Engr

Apr 58

62,168

Preheater for Hermetic Discharge of Oil From
Railroad Tankcars, by I. P. Rusetskiy.

RUSSIAN, per, Neft Khoz, Vol X, 1957, pp 58-62.

Tech and Com
\$30.00

Sci - Engr

Apr 58

62,169

The Petroleum Industry of USSR During the Fourth
Years Since the Great October Socialist Revolution
(A Review of the Development).

RUSSIAN, per, Nert Khoz, Vol XI, 1957, pp 1-14.

Tech and Com

USSR
Econ

Apr 58

62,223

The Technical Process in the Petroleum Industry Over
Forty Years, by F. A. Trebin.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 15-25.

Tech and Com

USSR

Econ

Apr 58

62,224

The Development of Drilling Over the Years of the
Soviet Rule, by N. S. Timofeyev.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 26-33.

Tech and Com

Sci - Engr

Apr 58

62,217

The Progress in the Field of Transport and Storage
of Petroleum and Petroleum Products Over Forty
Years, by L. A. Matskin.

RUSSIAN, per, Neft Khoz, ^{7c} Vol XI, 1957, pp 34-40.

Tech and Com

Sci - Fuels

USSR

Econ

Apr 58

Head, Lib Lr Sec

A 10

L C

62,218

Accurate Setting of Turboborer, by P. S. Drobotov.

RUSSIAN, per, Neft Khoz. Vol XI, 1957, pp 41-46.

Tech and Com

Sci - Engr

Apr 58

62, 219

Drilling of Multiple Mining Wells in the Borislev
Field, by M. P. Fanov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 47-49.

Tech and Com

Sci - Engr

Apr 58

62,220

Drilling Experiment With Sectional Turbodriller, by
V. N. Polyakov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 49, 50.

Tech and Com

Sci - Engr

Apr 58

62,213

To the Determination of the Pressure Change at the
Mining Place of Wells by the Movement of the Drilling
or Driving-Pipes in Their Column, by N. A. Gukasov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 51-54.

Tech and Com

Sci - Engr

OTS 64-10217

Apr 58

62,214

Isolation of Bottom-Water at the Application of
Hydro-Rupturing of the Strata at the Tuimaza Oil
Field, by A. K. Krupnov.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 55-58.

Tech and Com

ATS RJ-1345

Sci - Engr

Apr 58

62, 215

To the Results of Blowing Air Into the Strata for
Ten Years at the Oil Fields of Kura-Tektse, by
B. P. Mikerin

RUSSIAN, par, Neft Khoz, Vol XI, 1957, pp 59-61.

Tech and Com

Sci - Engr

Apr 58

62,216

The Effect of Washing Liquids (Drilling Muds) on the
Penetrability of the Core Sample, by K. F. Zhigach.

RUSSIAN, per, Naft Khoz, Vol XI, 1957, pp 62-67.

Sci - Engr

Tech and Com

Apr 58

62,313

Repeated Hydro-Rupture of the Strata, by A. G. Durnich'-
ian.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 67-70.

Tech and Com
\$30.00

Sci - Engr

Apr 58

62,314

The Petroleum Industry in Turkey, by D. I.
Vdovichenko.

RUSSIAN, per, Neft Khoz, Vol XI, 1957, pp 70-72.

Tech and Com
\$20.00

NE/A - Turkey

Econ

Apr 58

62,315

Production of Water-Free Oil From Deposits With
Bottom Water, by M. G. Osipov, 12 pp.

RUSSIAN, per, Neft Khoz, SSSR, 1957, Vol XXV,
No 12, pp 42-51.

Assoc Tech Serv 36026R
15.75

Sci - Fuels
OTS I, 4
Apr 59

85,268

The Displacement of Oil From Water-Invaded
Beds by Liquefied Gas, by A. S. Velikovskiy,
V. P. Tarski, 6 pp.

RUSSIAN, per, Neft Khoz, 8881, Vol XXXV, No 12,
1957, pp 51-55.

Assoc Tech Serv 37K26R

Sci - Fuels
OTS I, 4
Apr 59

85,270

Evaluation of the Efficiency of Fishing Methods in
Drilling, by M. A. Geyman, I. I. Khazmarzin, 7 pp.

RUSSIAN, per, Neft Khoz, Vol XXIV, No 10, 1957,
pp 11-16.

AMB-45L36R

Sci
Jan 60
Vol III, No 5

119,166

Means of Increasing the Wear Resistance of Turbo-
drill Thrust Bearings, by A. V. Kal'chenko, A. A.
Silin, 6 pp.

RUSSIAN, per, Nefteynaye Khozyaystvo SSSR, Vol
XXXVI, No 1, 1978, pp 9-13.

Assoc Tech Serv JLN26R
8.75

Sci - Engr
OTS I, 4
Apr 79

85,264

Experience and Prospects ~~XX~~ of the Industrial use of Hydrodrills, by A. A. Minin, K.A. Chefranov, 19 pp.

RUSSIAN, per, Neft Khoz USSR, Vol XXXVI, No 2, 1958, pp 13-18.

OMS 62-10439

Sci-Engr
Dec 63

An Evaluation of Various Modes of Rock Disintegration,
by A. B. Adamov, 9 pp.

REV.

RUSSIAN, ~~Ishtyevaya Khok~~ (USSR), Vol XXVI, No 2,
1958, pp 7-13.

Assoc Tech Sr
38K26R

Sci - Chem

Apr 59

OTS, V. I, No 5

OTS 62-14579
ATC-38K26R

86,178

OTS TT-62-25360 (RUSSIAN to FRENCH)

Experiment in Slim Hole Drilling, by A. N.
Tikhonov. UNCL

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 2,
1958, pp 19-22.

ATS RJ-1769

Sci - Engr
Dec 59

103,501

Alekseev, L.G.
ANALYSE DU TRAVAIL DANS LES LIEUX DE
FIXATION DES CYLINDRES ET DANS LE GARNIS-
SAGE DES FERMETURES DES POMPES DE FORAGE
(Efficiency of Fastening the Cylinders and Packing the
Fastenings of Pumps for the Bore Holes). 9p.
CNRS-XXV 309.
Order from OTS, ETC or CNRS \$0.95 TT-62-26362

Trans. in French of Neftyanoe Khozyaistvo 1958, v. 36,
no. 2, p. 23-25.

DESCRIPTORS: *Pumps, Pipes, *Fastenings, *Seals,
Boreholes.

(Machinery--Machine Parts, TT, v. 11, no. 6)

TT-62-26362

I. Alekseev, L.G.
II. CNRS-XXV 309
III. Centre National de la Recher-
che Scientifique, Paris

Office of Technical Services
European Translations Centre

Pitch of Cone Bit Teeth, by V. G. Belikov, 7 pp.

ISSUES, par, Nert Khos (USSR), Vol XXXVI,
No 3, 1958, pp 28-33.

Assoc Tech Serv
408268

Sci - Ingr
May 59
OIA, V I, No 6

86,351

Tri-Gone Bits", by A. Ya. Grigoryan, 3 pp.

HEMELIAN, per, Soft Rhos (USSR), Vol XXXVI,
No 3, 1958, pp 33-35.

Assoc Tech Serv
41K26A

Sci - Engr
May 59
ONE, V I, No 6

86,352

Basic Physical Properties of Formation Oil and
Water and their Changes Throughout the D₁-Bed of
the Tuimazy Oil Field, by A. I. Zhselonkin, I. P.
Nikolayev, 4 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 3, 1958,
pp 42-45.

ATS 74129R

Sci - Fuels
Sep 59
Vol 2, No 2

98,025

On the Article by I. I. Kurus, "Mechanics of Deflecting
Directional Holes", by Ru. B. Vasil'ev, G. A.
Bhetler, 3 pp.

RUSSIAN, per, Naftyanoye Delo (USSR), Vol XXIV, No 4,
1958, pp 31, 32.

Assoc Tech Br
43K26R

Sci - Engineering
Apr 59
OTB, V. I, No 5

86,183

Fluid Movement in Horizontal Fissures Formed
by Hydraulic Formation Fracturing, by A. M.
Izyumova, and N. N. Shm'gin, 8 pp.

RUSSIAN, ^(RUSS) ~~Estyanoys~~ Zhos, Vol. XXXVI, No 4,
1958, pp. 44-50.

Assoc Tech SR
358268

Sci - Engineering
Apr 59
OZS, V. I, No 5

86,180

Efficiency of 56-12st Bits, by V. E. Polyakov, V. N. Karpov, 5 pp.

RUSSIAN, per, Leftyanoye Khos (USSR), Vol XXXVI, No 5, 1958, pp 19-22.

Assoc Tech SR
44X26R

Sci Engineering
Apr 59
OEB, V. I, No 5

86,182

Mechanism of Fracture Enlargement in Hydraulic
Fracturing of Carbonate Reservoirs, by Yu. N.
Vasilyov, 7 PP.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 6, 1958,
pp 32-36.

ATS 91L30R

97,301

Sci-Engg
Vol 2 No 1

USE OF Indicative Isotopes in Well Logging, by S.
I. KIM, A. Sh. Galyevich, 4 pp.

KUBENIN, Mart Ehoz (UZBEK). Vol XXVI, No 6, 1958,
pp 36-39.

Assoc Tech Serv
122272

Lib of Geological Survey of
Canada

86,345

Sci - Repr

May 59

OSI, V I, No 6

TT-62-26726

Kusakov, M.M. and Gudok, N.S.
INFLUENCE DES PRESSIONS EXTERIEURES SUR LES
PROPRIETES DE FILTRATION DES ROCHES PETROLI-
FERES (Influence of External Pressure on Filtration
Properties of "Oil-bearing Rocks" 17p. 15refs
CNRS-XXV 344.
Order from OTS, ETC or CNRS \$0.80 TT-62-26726

Trans. in French of Nefyanoe Khozayaistvo (USSR)
1958, v.36, no.6, p.40-47.

DESCRIPTORS: *Petroleum, *Rock (Geology), Pres-
sure, Filtration, Mechanical properties, Elasticity,
Plasticity, Compressive properties, Irreversible
processes.

(Materials--Fuels, TT, v. 11, no. 6)

I. Kusakov, M.M.
II. Gudok, N.S.
III. CNRS-XXV 344
IV. Centre National de la Recher-
che Scientifique, Paris

Office of Technical Services
European Translations Centre

Merkulov, V.M.
SUR LE DÉBIT DES PUTTS INCLINÉS ET HORIZON-
TAUX (O Debite Naklonnykh i Gorizonta'nykh
Skvazhin) (The Output of Inclined and Horizontal Wells),
16p. (foreign text included). 3refs. CNRS-XXV 464.
Order from OTS, ETC or CNRS \$0.80 TT-62-26404

Trans. ~~in French~~ of Neftyanoe Khozyaistvo (USSR)
1958, v.36, no.6, p.51-56.

DESCRIPTORS: *Petroleum, *Mining engineering,
Hydrodynamics, Fluid mechanics, Well drilling.

(Materials--Fuels, TT, v. 11, no. 6)

TT-62-26404

- I. Merkulov, V.M.
- II. CNRS-XXV 464
- III. Centre National de la Recherche Scientifique, Paris

Office of Technical Services
European Translations Centre

Mechanism of Well Drilling with Explosives, by
A. I. Gol'dinder, B. B. Kagan, A. P. Ostrovskiy,
4 pp.

~~Ref. Nos.~~
RUSSIAN, per Vol XVI, No 7, 1958, pp 13-16.

Assoc Tech Serv
39827R

Sci - Engr
May 59
OCS; V I, No 6

86,360

Indexes of Production Decline in Wells After
Hydraulic Fracturing, by F. I. Denisov, 5 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 7, 1958,
pp 52-55.

ATS 9CL3CR

Sci - Engr

3, No 1

97,296

Petroleum Supply to East Siberia, by P. Ya. Boyart.
(USSR Materials and Materials Processing Equipment, 3).

RUSSIAN, par, Neftyanoye Khozyaystvo, No 8, Aug 1958,
pp 12-16.

USSR
Econ
Sci Petroleum Production
Oct 58

AF 118 1249

75, 411

62-16659

Trebin, F. A., Borisov, Yu. P., and Mukharskii, [E.] D.
DETERMINATION OF THE FORMATION-PARAMETERS FROM THE PRESSURE BUILDUP CURVE, TAKING INTO ACCOUNT THE FLOW OF LIQUID INTO THE WELL AFTER SHUT-IN, PT. 1 [K Opredeleniyu Parametrov Plasta po Krivym Vosstanovleniya Davleniya s Uchetom Paritoka Zhidkosti v Skvazhinu Posle Ee Zakrytiya]. [1962] [20]p. 10 refs.
Order from OTS or SLA \$1.60

I. Trebin, F. A.
II. Borisov, Yu. P.
III. Mukharskii, E. D.

Trans. of Neftyanoe Khozaystvo (USSR) 1958 [v. 36] no. 8, p. 33-46.

Another trans. is available from ATS \$9.95 as ATS-35K27R [1958] 12p.

DESCRIPTORS: *Petroleum, Sources, Hydraulic reservoirs, Fluid flow, Pressure, Permeability, Mathematical analysis, Hydrodynamics, Mining engineering.
(Engineering, TT, v. 10, no. 2)

Office of Technical Services

Non-Holder Heating Devices, by A. I. Derjagin, A.
B. Shvinnik, 8 pp.

RESEARCH, Left Box, Vol XXVI, No 6, 1958,
pp 46-53.

Assoc Tech Serv
36027A

Sci - Eng
May 59
OSB, 7 L, No 6

86, 355

Hydraulic Formation Fracturing in Deep Flowing
Wells at Oil Field No 1, NPU Dolinaneft, by
N. I. Shubin, V. I. Andrusechko,,6 p.

RUSSIAN, par, Neft Khoz 1958, Vol XXXVI,
No 8, pp 65-69.

ATS-46L35R

FTS-33

111,695

Sci
Apr 60
Vol III, No 2

Method of Regulation of Weight on Bit G₆
in Turbodrilling, by V. S. Fedorov, 5 pp.

RUSSIAN, per, Neft Khoz, 1958, Vol XXXVI,
No 9, pp 14-17.

ATS-77L28R

Sci - Engr
OBS I, 12
Jul 59

92, 273

Formation of Vertical Fractures in Hydraulic
Fracturing, by M. P. Panov, E. A. Ivanitskiy,
et al., 6 pp.

RUSSIAN, per, Neft Khoz, 1958, Vol XXXVI,
No 9, pp 56-59.

ATS-78L28R

Sci - Engr
OTS I, 12
Jul 59

92, 275

62-16660

Treblin, F. A., Borisov, Yu. P., and Mukharskii, E. D.
DETERMINATION OF THE FORMATION-PARAMETERS FROM THE PRESSURE BUILDUP CURVE, TAKING INTO ACCOUNT THE FLOW OF LIQUID INTO THE WELL AFTER SHUT-IN, PT. II. [K Opredeleniya Parametrov Flasta po Krivym Vosstanovleniya Davleniya s Uchetom Pritoka Zhidkosti v Skvazhinu Posle Ee Zakrytiya]. [1962] 13p.
Order from OTS or SLA \$1.60 62-16660

I. Treblin, F. A.
II. Borisov, Yu. P.
III. Mukharskii, E. D.

Trans. of Neftyanoe Khozyaistvo (USSR) 1958 [v. 36] no. 9, p. 40-47.

DESCRIPTORS: *Petroleum, Sources, Hydraulic reservoirs, Fluid flow, Pressure, Permeability, Mathematical analysis, Hydrodynamics, Mining, engineering.

(Engineering, TT, v. 10, no. 2)

Office of Technical Services

Increases in the Drift Angle and Azimuth of Hole
Deviation made possible by the use of Deflectors in
Turbo-drilling. by Shangin, A.N.
RUSSIAN, per, Neftyanoe Khozyaistvo, Vol 36 No 9,
pp 18-26. 1958
ETC-69-35648

Mar 70

403,338

TT-62-26391

Vasil'ev, Yu.N.
SUR LE MOUVEMENT DES MÉLANGES HYDRO-
SABLONNEUX DANS LES FENTES (O Dvizhenii
Peschano-Zhidkostnykh Smesel po Shchelyam) (The
Movement of Mixtures of Water and Sand in Fissures).
12p. (foreign text included) 3refs. CNRS-XXV 426
Order from OTS, ETC or CNRS \$1.10 TT-62-26391

Trans. in French of Neftyanoe Khozyaistvo (USSR)
1958, v.36, no.10, p.35-39.

DESCRIPTORS: Mining engineering, Sand, Water,
*Hydrodynamics, Mixtures.

(Earth Sciences--Geology, TT, v. 11, no. 6)

I. Vasil'ev, Yu.N.
II. CNRS-XXV 426
III. Centre National de la Recher-
che Scientifique, Paris

Office of Technical Services
European Translations Centre

From an "Oil Cemetery" to a Highly-Developed
Oil Industry, by Ye. Gal'person,
L. Tomashevskiy, 4 pp.

RUSSIAN, per, Neftyanoye Khoz., Vol XXXVI,
No 10, 1958, pp 68, 69.

AFS-1241R

Sci
10 Mar 62
Vol 4, No 4

187,747

Drilling Practice With Slim Cone Bits, by
A. A. Pogarskiy,

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 11, 1958,
pp 18-20.

ATS 2305-RJ

Sci - Engr

Rep 60

124,894

The Use of Plastic Drill Pipes in Drilling Deep
Wells, by H. V. Kulikov, 4 pp.

RUSSIAN, per, Neft Khoz, Vol XXXVI, No 11, 1958,
pp 28-30.

ATS-34130R

Sci - Engr
Sep 59
Vol 2, No 1

97 910

The Deformation of Gel Cement During Perforation,
by S. L. Lantsevitskaya, et al. 3 *7-7*

RUSSIAN, per, Neft Khoz, Vol XXVI, No 12, 1958,
pp 26-28.

ATS 2309-RJ

ATS -45 M/38R

Sci - Engg

Sep 60

124,897

Hydraulic Formation Fracturing in Injection
Wells of the Akhtyrsk-Bugundyrsk Oil Field,
by A. R. Garushev, 5 p.

RUSSIAN, per, Nefti Khoz 1958, Vol XXXVI,
No 12, pp 33-35.

ATS-47135R

AT-23-1201

Sci
Apr 60
Vol III, No 2

111, 692

Fluid Flow Near the Bottom of the Hole During
Hydraulic Formation Fracturing by Yu. M. Shekhtman,
I. F. Kuranov, A. A. Larin, 7 p.

RUSSIAN, per, Neft Khoz, 1958, Vol XXXVI, No 12,
pp 40-45.

4
ATS-68135R

RTI-68135R

Sci
Apr 60
Vol III, No 2

111,694

Chekalyuk, E. B.
CALCULATION METHOD OF PHYSICAL PARAMETERS OF FORMATIONS. 15 Jan 60 [18]p. 3 refs.
Order from SLA \$1.60 62-18533

Trans. of an Italian translation of Neftyanoe Khozyaistvo (USSR) 1958 [v. 36] no. 11, p. 42-48.

DESCRIPTORS: *Well drilling, Boreholes,
*Petroleum, Deposits, Fluid flow, Pressure,
Integrals.

(Earth Sciences--Geology, TT, v. 9, no. 11)

62-18533

I. Chekalyuk, E. B.

Office of Technical Services

Suggestions Relative to the Simplified Method
for the Interpretation of the Results of
Pressure Restoration in Wells, Taking Into
Account the Influx of Fluid After Their
~~Shutdown~~ Shutdown, by F. A. Trebin, G. V.
Shcherbakov. UNCL

RUSSIAN, per, Neft Khoz, Vol. XXXVII, No 1,
1959, pp 55-57.

with
ATS RJ-1828

Cny
Sci - Geophy
Jan. 60

Certain Characteristics of Formation Water Influx
After The Shut-Down of Flowing Wells, by
I. M. Murav'yev, N. N. Repin, S. P. Lyushin, 8 p.

RUSSIAN, per, Neftyanoye, Khoz, 1959, Vol XXXVII,
No 1, pp 49-54.

ATS-20131R

Sci
Mar 60
Vol 2, No 11

109,568

Kundin, S. A.
A MODEL STUDY OF OIL RECOVERY IN THE
CASE OF DISPLACEMENT OF GAS OUT CRUDE
OIL BY WATER. [1960] 6p.
Order from ATS \$11.50

ATS-90M44R

Trans. of Nefteyanaye.Khoz[yaystvo] (USSR) 1959,
v. 37, no. 1 [sic] p. 54-59.

151776

(Earth Sciences--Geology, TT, v. 5, no. 9)

60-25521

- I. Oils--Sources
- i. Kundin, S. A.
- II. ATS-90M44R
- III. Associated Technical
Services, Inc., East
Orange, N. J.

ATS/RJ-2770

Office of Technical Services

(NY-2300/2)

^(Drilling)
Insertable Expansion Bits, by Ya. M. Kershenbaum,
2 A. Diffine, 7 pp.

RUSSIAN, per, Neft Khoz, No 3, 1959, pp 33-37.

JPRS-1798-N

Sci - Engr
Jul 59

93,100

Removal of Paraffin From the Bottom-Hole Zone
With an Electric Heater, & by N. N. Kosarev,
S. A. Mahovskiy, 5 p.

RUSSIAN, per, Neft Khoz, 1959, Vol XXVII, No 3,
pp 56-58.

ATB-65L34R

Sci

May 60
Vol 3, No 4

116,814

An Investigation of the Removal of Large Rock
Fragments From Wells, by E. B. Kagan, A. P.
Ostrovskiy, 9 p.

RUSSIAN, per, Neftyanaya Khoz, 1959, Vol .XXXVII,
No 4, pp 24-31.

ATB-69834R

Sci
May 60
Vol 3, No 4

116,805

Nazarov, S. N.
FLANK FLOODING OF THE LIMESTONE RESER-
VOIRS IN THE KHODZHABAD FIELD. 15p.
MTWL: 933.
Order from OTS or ETC \$1.85 61-17575
Trans. of Neftyanoe Khoz'ya'stvo (USSR) 1959, no. 4,
p. 35-41.

DESCRIPTORS: *Mineral oils, Production, *Geology.
SSSR.

61-17575

I. Nazarov, S. N.
II. MTWL-933
III. Stichting Moeilijk
Toegankelijke Wetenschap-
pelijke Literatuur

Office of Technical Services

TT-62-26402

Bagirov, M.A., Vechkhaizer, G.V. and
Dzhubarly, Ch.M.
ÉTUDE SUR LA POSSIBILITÉ DU TRAITEMENT
ÉLECTROTHERMIQUE DES COUCHES PÉTROLI-
FÈRES ÉPUISÉES (Issledovanie Vozmozhnosti Elek-
trotermicheskogo Vozdeistviya na Istoshchennye
Neftenosnye Plasty) (Investigation of the Electrother-
mal Treatment of Exhausted Oil Formation). 14p.
(foreign text included) 4 refs. CNRS-XXV 459.
Order from OIS, ETC or CNRS \$1.15 TT-62-26402

Trans. in French of Neftyanoe Khozyaistvo (USSR),
1959, v.37, no.5, p.38-42.

DESCRIPTORS: *Petroleum, *Mining engineering,
Electricity, Heat treatment.

(Materials--Fuels, TT, v. 11, no. 6)

I. Bagirov, M.A.
II. Vechkhaizer, G.V.
III. Dzhubarly, Ch.M.
IV. CNRS-XXV 459
V. Centre National de la Recher-
che Scientifique, Paris

Office of Technical Services
European Translations Centre

New Experimental Data on the Hydraulics of
Drilling Muds, by A. P. Yufin, et al.

RUSSIAN, per, Neft Khoz, Vol XXXVII, No 6, 1959,
pp 26-32.

ATS 2307-RJ

Sci - Engr

Sep 60

124,895

Determining the Beginning of Water Invasion
of Wells, by A. N. Perepelitsyn,

RUSSIAN, per, Neft Khoz, Vol XXXVII, No 6,
1959, pp 49, 50.

ATS 2326-PJ

Sci - Engr

Sep 60

124,907

Hydraulic Formation Fracturing in the ~~KMA~~
Turkmen Oil Fields, by E. F. Shimchishin,

RUSSIAN, per, Neft Khoz, Vol XXXVII, No 6,
1959, pp 65-67.

ATB 2315-RJ

Sci - Engr

Sep 60

124,902